

SAFETY DATA SHEET

CEREAL PLUS

This safety data sheet complies with the requirements of:
Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS # : NP-0028-1-A
Revision date: 2018-11-27
Format: EU
Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0028-1-A
Product Name CEREAL PLUS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A fertilizer with micronutrients for use in agriculture and horticulture
Restrictions on use Use as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer
FMC Agro Limited
Rectors Lane
Pentre
Flintshire
CH5 2DH
United Kingdom
Tel: + 44 1244 537370
E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point
Tel: +44 1244 537370
Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Tel: +44 1244 537370 (Office hours only)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture *Regulation (EC) No 1272/2008*

| | |
|---------------------------|----------------------------------|
| Skin corrosion/irritation | Category 1 Sub-category C (H314) |
| Chronic aquatic toxicity | Category 1 (H410) |

2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P264 - Wash hands thoroughly after handling

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of contents/container as hazardous waste.

2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

3.2 Mixture containing the following hazardous ingredients:

| Chemical name | EC-No | CAS-No | Weight percent | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH registration number |
|---------------------|-----------|------------|----------------|---|---------------------------|
| MANGANESE DINITRATE | Present | 10377-66-9 | 1-10 | Ox. Sol. 2 (H272); Acute Tox. 4 (H302); Skin Corr. 1C (H314); STOT RE 2 (H373); Aquatic Chronic 3 (H412); (EUH071) | 01-2119487993-17-0002 |
| Copper sulfate | Present | 7758-98-7 | 1-10 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | 01-2119520566-40-XXXX |
| Zinc sulfate | 231-793-3 | 7733-02-0 | 1-10 | Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | 01-2119474684-27-XXXX |

Additional Information

For the full text of the H- and EUH- phrases mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures**Eye Contact**

Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Transfer to hospital for specialist examination.

Skin Contact

Immediately remove all stained or splashed clothing that is not adhering to the skin. Wash off immediately with soap and plenty of water. Transfer to hospital if there are burns or symptoms of poisoning.

Inhalation

Remove person from exposure ensuring one's own safety while doing so. If symptoms persist, call a doctor.

Ingestion Clean mouth with water. Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate medical attention. If vomiting does occur, rinse mouth and drink fluids again.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: Irritation or pain may occur at the site of contact. Blistering may occur. Severe burns may occur.

Eye contact: There may be pain and redness. The eyes may water profusely. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Eye bathing equipment should be available on the premises. Show this safety data sheet to the doctor in attendance.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Corrosive. Toxic fumes may be released in fire situations.

Hazardous Combustion Products

Nitrogen oxides (NOx), Sulphur oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

For personal protection see section 8. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Keep people away from and upwind of spill/leak. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for Containment | Surface drains within close vicinity of the spill should be covered. Dike to confine spill and absorb with non-combustible absorbent such as clay, sand or soil. |
| Methods for cleaning up | Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see Section 13). |

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling**Handling**

Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities**Storage**

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)**Specific Use(s)**

No data available.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

| Chemical name | Italy | Portugal | The Netherlands | Finland | Denmark |
|-----------------------------|-------|----------|-----------------|----------------------------|---------|
| Copper sulfate 7758-98-7 | - | - | - | TWA 0.02 mg/m ³ | - |

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas. The floor of the storage room must be impermeable to prevent the escape of liquids.

Personal protective equipment

| | |
|---------------------------------|--|
| Eye/Face Protection | Safety glasses with side-shields. Provide emergency on-site eyewash. |
| Hand Protection | Gloves (acid resistant). |
| Skin and Body Protection | Impervious clothing. |

Respiratory Protection Not required under normal use.

Environmental exposure controls Refer to specific Member State legislation for requirements under Community environmental legislation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | |
|-------------------------------------|--------------------------------|
| Physical State | Liquid |
| Appearance | No information available |
| Odour | Barely perceptible |
| Colour | Dark brown |
| Odour threshold | No information available |
| pH | 2.0 - 3.0 |
| Melting point/freezing point | No information available |
| Boiling point/boiling range | No information available |
| Flash point | No information available |
| Evaporation Rate | No information available |
| Flammability (solid, gas) | |
| Flammability Limit in Air | |
| Upper flammability limit: | No information available |
| Lower flammability limit | No information available |
| Vapour pressure | No information available |
| Vapour density | No information available |
| Specific gravity | 1.20 - 1.25 |
| Water solubility | Soluble in water |
| Solubility in other solvents | No information available |
| Partition coefficient | No information available |
| Autoignition temperature | No information available |
| Decomposition temperature | No information available |
| Viscosity, kinematic | No information available |
| Viscosity, dynamic | No information available |
| Explosive properties | No information available |
| Oxidising properties | Non-oxidizing (by EC criteria) |

9.2. Other information

| | |
|-------------------------|--------------------------|
| Softening point | No information available |
| Molecular weight | No information available |
| VOC content (%) | No information available |
| Density | No information available |
| Bulk density | No information available |
| K_{st} | No information available |

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion data

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong bases, Strong reducing agents.

10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions. See Section 5.2 for more information.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

LD50 Oral > 3000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

| Chemical name | LD50 Oral | LD50 Dermal | Inhalation LC50 |
|----------------------|--------------------|-----------------------|------------------------|
| MANGANESE DINITRATE | >300 mg/kg (rat) | | |
| Copper sulfate | 300 mg/kg (Rat) | 1000 mg/kg (Rabbit) | |
| Zinc sulfate | 1710 mg/kg (Rat) | >2000mg/kg (Rat) | |

Skin corrosion/irritation No information available.
Serious eye damage/eye irritation No information available.
Sensitisation No information available.
Mutagenicity No information available.
Carcinogenicity No information available.

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.

Symptoms

Skin contact: Irritation or pain may occur at the site of contact. Blistering may occur. Severe burns may occur.

Eye contact: There may be pain and redness. The eyes may water profusely. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Aspiration hazard

No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

ALGAE: 72H IC50 = 3.56 mg/L (calculated)

DAPHNIDS: (Daphnia magna) 48H EC50 = 0.647 mg/L (calculated)

FISH: 96H LC50 = 10.1 mg/L (calculated)

| Chemical name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|---------------------|---|---|---|
| MANGANESE DINITRATE | Desmodesmus subspicatus: 72 ErC50 = 64.6 mg/L | Rainbow trout (Oncorhynchus mykiss): 96H LC50 = 47.2 mg/L | Daphnia magna: 48H EC50 = >100 mg/L |
| Copper sulfate | - | 96 h LC50: = 0.1 mg/L (Oncorhynchus mykiss) | 48 h EC50: 0.0058 - 0.0073 mg/L (Daphnia magna) Static |
| Zinc sulfate | 72 h EC50: = 0.056 mg/L (Pseudokirchneriella subcapitata) static 72 h EC50: = 64.8 mg/L (Chlorella vulgaris) 96 h EC50: = 2.4 mg/L (Chlorella vulgaris) | 96 h LC50: = 0.162 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 0.03 - 0.05 mg/L (Oncorhynchus mykiss) semi-static 96 h LC50: 0.34 - 0.93 mg/L (Oncorhynchus mykiss) static 96 h LC50: = 0.06 mg/L (Pimephales promelas) static 96 h LC50: 3.55 - 6.32 mg/L (Lepomis macrochirus) static 96 h LC50: 16.85 - 27.18 mg/L (Cyprinus carpio) static 96 h LC50: 3 - 4.6 mg/L (Lepomis macrochirus) flow-through 96 h LC50: = 0.63 mg/L (Poecilia reticulata) 96 h LC50: 0.23 - 0.48 mg/L (Pimephales promelas) 96 h LC50: 49.23 - 64.16 mg/L (Poecilia reticulata) semi-static 96 h LC50: 0.48 - 1.72 mg/L (Poecilia reticulata) static 96 h LC50: 0.218 - 0.42 mg/L (Pimephales promelas) flow-through 96 h LC50: 0.168 - 0.25 mg/L (Pimephales promelas) semi-static 96 h LC50: = 0.15 mg/L (Cyprinus carpio) semi-static | 48 h EC50: 0.538 - 0.908 mg/L (Daphnia magna) Static 48 h EC50: = 0.75 mg/L (Daphnia magna) |

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| | |
|--|--|
| Waste from residues / unused products | Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not discharge to sewer systems. |
| Contaminated Packaging | Clean container with water. Dispose of rinse water in accordance with local and national guidelines. Empty containers should be taken to an approved waste handling site for recycling or disposal. |
| EWC Waste Disposal No | 02 01 08 |
| OTHER INFORMATION | NOTE : The user's attention is drawn to the possible existence of specific European, national or local regulations regarding disposal. |

Section 14: TRANSPORT INFORMATION

IMDG/IMO

| | |
|--|---|
| 14.1 UN/ID no | UN1760 |
| 14.2 Proper Shipping Name | CORROSIVE LIQUID, N.O.S. (MANGANESE DINITRATE; COPPER SULPHATE; ZINC SULPHATE) |
| 14.3 Hazard class | 8 |
| 14.4 Packing Group | III |
| 14.5 Marine Pollutant | Yes |
| Environmental Hazard | Yes |
| 14.6 Special Provisions | None |
| 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code | This product is not transported in bulk containers. |

RID

| | |
|----------------------------------|---|
| 14.1 UN/ID no | UN1760 |
| 14.2 Proper Shipping Name | CORROSIVE LIQUID, N.O.S. (MANGANESE DINITRATE; COPPER SULPHATE; ZINC SULPHATE) |
| 14.3 Hazard class | 8 |
| 14.4 Packing Group | III |
| 14.5 Environmental Hazard | Yes |
| 14.6 Special Provisions | None |

ADR/RID

| | |
|----------------------------------|---|
| 14.1 UN/ID no | UN1760 |
| 14.2 Proper Shipping Name | CORROSIVE LIQUID, N.O.S. (MANGANESE DINITRATE; COPPER SULPHATE; ZINC SULPHATE) |
| 14.3 Hazard class | 8 |
| 14.4 Packing Group | III |
| 14.5 Environmental Hazard | Yes |
| 14.6 Special Provisions | None |

ICAO/IATA

| | |
|----------------------------------|---------------|
| 14.1 UN/ID no | UN1760 |
| 14.2 Proper Shipping Name | Not regulated |
| 14.3 Hazard class | 8 |
| 14.4 Packing Group | III |
| 14.5 Environmental Hazard | Yes |
| 14.6 Special Provisions | None |

Section 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations** Not applicable**European Union****Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

| Chemical name | TSCA (United States) | DSL (Canada) | EINECS/ELINCS (Europe) | ENCS (Japan) | China (IECSC) | KECL (Korea) | PICCS (Philippines) | AICS (Australia) |
|-----------------------------------|-------------------------|-----------------|---------------------------|-----------------|------------------|--------------|------------------------|---------------------|
| MANGANESE DINITRATE 10377-66-9 | X | X | X | X | X | X | X | X |
| Copper sulfate 7758-98-7 | X | X | X | X | X | X | X | X |
| Zinc sulfate 7733-02-0 | X | X | X | X | X | X | X | X |

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: OTHER INFORMATION**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under sections 2 and 3**

EUH071 - Corrosive to the respiratory tract

H272 - May intensify fire; oxidiser

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

Legend**ADR:** European Agreement concerning the International Carriage of Dangerous Goods by Road**CAS:** CAS (Chemical Abstracts Service)**Ceiling:** Maximum limit value:**DNEL:** Derived No Effect Level (DNEL)**EINECS:** EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)
IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods (IMDG)
LC50: LC50 (lethal concentration)
LD50: LD50 (lethal dose)
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail
STEL: Short term exposure limit
SVHC: SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average
vPvB: very Persistent and very Bioaccumulative

Revision date: 2018-11-27

Reason for revision: Initial Release.

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet