ROSPECT SX	(®		
sion 1.0		- / /	
vision Date 12.02.2020 Ref. 130000025567			
	et adheres to the standards an its in other countries.	nd regulatory requirements of Great Britain and may not meet the	
CTION 1: Identific 1.1. Product iden		ure and of the company/undertaking	
Product name	:PROSPECT S : B11646126	X®	
Synonyms	DPX-M6316	5050	
1.2. Relevant ide		e or mixture and uses advised against	
Use of the Substa	nce/Mixture : Herbicide e supplier of the safety data	-	
Company:	FMC Agro Limited Rectors Lane, Pentre, Dees Flintshire CH5 2DH United Kingdom	side,	
Telephone: e-mail address:	+44 (0) 1244 537370 fmc.agro.uk@fmc.com		
1.4. Emergency t	elephone number		
Medical e	mergencies:		
Austria: +4	3 1 406 43 43	Norway: +47 22 591300	
Belgium: +	32 70 245 245	Poland: +48 22 619 66 54	
Bulgaria: +	359 2 9154 409	+48 22 619 08 97	
Czech Repu	ublic: +420 224 919 293	Portugal: 808 250 143 (in Portugal only)	
	+420 224 915 402	+351 21 330 3284	
Denmark:	+45 82 12 12 12	Romania: +40 21318 3606	
	3 (0) 1 45 42 59 59	Slovakia: +421 2 54 77 4 166	
	58 9 471 977	Slovenia: +386 41 650 500	
	36 80 20 11 99	Spain: +34 91 562 04 20	
	public): +353 1 809 2166	Sweden: +46 08-331231	
•	02 6610 1029	112	
Lithuania:	+370 523 62052	Switzerland: 145	
	+370 687 53378	United Kingdom: 111	
	rg: +352 8002 5500	U.S.A. & Canada: +1 800 / 331-3148 (PROSAR)	
Netherland	ds: +31 30 274 88 88	All other countries: +1 651 / 632-6793 (PROSAR - Collect)	
United Kin	i <b>re, spill or accident emergencies</b> gdom: 0870 820 0418 (CHEMTRE puntries: +1 703 / 527 3887 (CHE	C) / Dialling from Ireland: 01 901 4670	
CTION 2: Hazards 2.1. Classificatio	identification n of the substance or mixtu	re	
Acute aquatic toxi Category 1	city, H400: Very t	oxic to aquatic life.	
		1/13	

ROSPECT SX®		
sion 1.0		
vision Date 12.02.2020	Ref. 130000025567	
Chronic aquatic toxicity, Category 1	H410: Very toxic to aquatic life with long lasting	effects.
2.2. Label elements		
SK		
12		
Warning		
H410	Very toxic to aquatic life with long lasting effects	S.
Special labelling of certain substances and mixtures	EUH401: To avoid risks to human health and th instructions for use.,	e environment, comply with the
P391 P501	Collect spillage. Dispose of contents/container to a licensed haz contractor or collection site except for empty cle disposed of as non-hazardous waste.	
SP 1	Do not contaminate water with the product or its application equipment near surface water/Avoic farmyards and roads).	
2.3. Other hazards		
	ance considered to be persistent, bioaccumulating a ance considered to be very persistent and very bioa	· · · · · ·
		(·····).
CTION 3: Composition/inform	ation on ingredients	
3.1. Substances		
Not applicable		
3.2. Mixtures		
Registration number	Classification according to	Concentration
	Regulation (EU) 1272/2008 (CLP)	(% w/w)
Thifensulfuron methyl (CAS		50.0/
	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	50 %
Sodium carbonate (CAS-No	.497-19-8) (EC-No.207-838-8)	
	2/13	

Γ

### SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 -Annex II



### **PROSPECT SX®**

Version 1.0

Revision Date 12.02.2020

Ref. 130000025567

01-2119485498-19	Eye Irrit. 2; H319	>= 10 - < 15 %
The above products are compli	ant to REACH registration obligations; R	Period number(s) may not be

regulatory process (biocide uses, plant protection products), etc.

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures Never give anything by mouth to an unconscious person. General advice Move to fresh air. Consult a physician after significant exposure. Artificial Inhalation respiration and/or oxygen may be necessary. Skin contact Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician. Wash contaminated clothing before re-use. Eye contact If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly and gently with water for 15-20 minutes. If eye irritation persists, consult a specialist. Ingestion Obtain medical attention. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If victim is conscious: Rinse mouth with water. 4.2. Most important symptoms and effects, both acute and delayed **Symptoms** No cases of human intoxication are known and the symptoms of experimental intoxication are not known. 4.3. Indication of any immediate medical attention and special treatment needed Treatment Treat symptomatically. **SECTION 5: Firefighting measures** 5.1. Extinguishing media Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2) Extinguishing media which : High volume water jet, (contamination risk) shall not be used for safety reasons 5.2. Special hazards arising from the substance or mixture Specific hazards during : Hazardous decomposition products formed under fire conditions. Carbon dioxide (CO2) Nitrogen oxides (NOx) firefighting 3/13



Version 1.0 Revision Date 12.02.2020

Ref. 130000025567

### 5.3. Advice for firefighters

	Special protective equipment for firefighters	:	Wear full protective clothing and self-contained breathing apparatus.
	Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
		:	(on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.
SE	CTION 6: Accidental release m	iea	sures
	6.1. Personal precautions, pr	ote	ective equipment and emergency procedures
	Personal precautions	:	Control access to area. Keep people away from and upwind of spill/leak. Avoid dust formation. Avoid breathing dust. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
	6.2. Environmental precautions		
	Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the product contaminates rivers and lakes or drains inform respective authorities. If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal.
	6.3. Methods and materials for containment and cleaning up		
	Methods for cleaning up	:	Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean-up methods - large spillage Avoid dust formation. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13). If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.
	Other information	:	Never return spills in original containers for re-use. Dispose of in accordance with local regulations.
	6.4. Reference to other section	ons	5
	For personal protection see se	ctic	on 8., For disposal instructions see section 13.



### **PROSPECT SX®**

Version 1.0 Revision Date 12.02.2020

Ref. 130000025567

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

	Advice on safe handling	: Use only according to our recommendations. Use only clean equipment. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist. Wear personal protective equipment. For personal protection see section 8. Prepare the working solution as given on the label(s) and/or the user instructions. Use prepared working solution as soon as possible - Do not store. Provide appropriate exhaust ventilation at places where dust is formed. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Avoid exceeding the given occupational exposure limits (see section 8).
--	-------------------------	--

Advice on protection : Keep away from heat and sources of ignition. Avoid dust formation in confined areas. During processing, dust may form explosive mixture in air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep out of the reach of children.
Advice on common storage	:	No special restrictions on storage with other products.
Other data	:	Stable under recommended storage conditions.

#### 7.3. Specific end use(s)

Plant protection products subject to Regulation (EC) No 1107/2009.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

If sub-section is empty then no values are applicable.

#### 8.2. Exposure controls

Engineering measures	: Ensure adequate ventilation, especially in confined areas. Provide for
	appropriate exhaust ventilation and dust collection at machinery. Use sufficient ventilation to keep employee exposure below recommended limits.
Eye protection	: Safety glasses with side-shields conforming to EN166
Hand protection	: Material: Nitrile rubber
	Glove thickness: 0.3 mm
	Glove length: Standard glove type.
	Protection index: Class 6
	Wearing time: > 480 min
	The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The break through time depends amongst other things on the material, the thickness and the type of
	5/13



Version 1.0 Revision Date 12.02.2020

Ref. 130000025567

	glove and therefore has to be measured for each case. The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Before removing gloves clean them with soap and water.
Skin and body protection	: Manufacturing and processing work: Full protective clothing Type 5 (EN 13982-
	<ul> <li>2) Mixer and loaders must wear: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Rubber apron Nitrile rubber boots (EN 13832-3 / EN ISO 20345).</li> <li>Spray application - outdoor: Tractor / sprayer with hood: No personal body protection normally required. Tractor / sprayer without hood: Low application: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).</li> <li>Backpack / knapsack sprayer: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).</li> <li>Mechanical automatized spray application in closed tunnel: No personal body protection normally required.</li> <li>When exceptional circumstances require an access to the treated area before the end of re-entry periods, wear full protective clothing Type 6 (EN 13034), nitrile rubber gloves class 3 (EN 374) and nitrile rubber boots (EN 13832-3 / EN ISO 20345).</li> </ul>
	To optimize the ergonomy it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier. Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use. The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.
Protective measures	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during application.
Hygiene measures	<ul> <li>Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Respiratory protection	<ul> <li>Manufacturing and processing work: Half mask with a particle filter FFP1 (EN149)</li> <li>Mixer and loaders must wear: Half mask with a particle filter FFP1 (EN149)</li> </ul>
	6/13

ROSPECT SX®	
sion 1.0	
vision Date 12.02.2020	Ref. 13000025567
	Field and greenhouse application: Spray application - outdoor: Tractor / sprayer with hood: No personal respiratory protective equipment normally required. Tractor / sprayer without hood: Low application: Half mask with a particle filter FFP1 (EN149) Backpack / knapsack sprayer: Half mask with a particle filter FFP1 (EN149) Mechanical automatized spray application in closed tunnel: No personal respiratory protective equipment normally required.
CTION 9: Physical and chemi	cal properties
9.1. Information on basic phy	vsical and chemical properties
Form	: granules
Colour	: light brown
Odour	: mild
Odour Threshold	: not determined
рН	: 9.2 at 10 g/l ( 25 °C)
Melting point/range	: ca. 182 °C
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Thermal decomposition	: Not available for this mixture.
Auto-ignition temperature	: does not ignite
Oxidizing properties	: The product is not oxidizing.
Explosive properties	: Not explosive
Upper explosion limit/ upper flammability limit	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Relative density	: Not available for this mixture.
Bulk density	: 696 kg/m3 , packed
Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Viscosity, kinematic	: Not applicable

nex II	ording to Regulation (EC) No 1907/2006 -
ROSPECT SX®	
evision Date 12.02.2020	Ref. 130000025567
Relative vapour density	: Not available for this mixture.
Evaporation rate	: Not applicable
Minimum ignition energy	: > 1,000 mJ
9.2. Other information	
Physchem./other information	: No other data to be specially mentioned.
ECTION 10: Stability and reactiv	rity
10.1. Reactivity	: No hazards to be specially mentioned.
10.2. Chemical stability	: The product is chemically stable under recommended conditions of storage, use and temperature.
10.3. Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use. Polymerization will not occur. No decomposition if stored and applied as directed.
10.4. Conditions to avoid	: To avoid thermal decomposition, do not overheat. Under severe dusting conditions, this material may form explosive mixtures in air.
10.5. Incompatible materials	: No materials to be especially mentioned.
10.6. Hazardous decomposition products	: Sulphur oxides
ECTION 11: Toxicological inform	nation
11.1. Information on toxicolo	ogical effects
Acute oral toxicity	

Acute dermal toxicity

LD50 / Rabbit : > 2,000 mg/kg Method: OECD Test Guideline 402 (Data on the product itself) Information source: Internal study report

Skin irritation

Rabbit Result: No skin irritation

8/13

#### SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 -Annex II PROSPECT SX®



#### Version 1.0 Revision Date 12.02.2020

Ref. 13000025567

Method: OECD Test Guideline 404 (Data on the product itself) Information source: Internal study report

Eye irritation

Rabbit Result: No eye irritation Method: OECD Test Guideline 405 (Data on the product itself) Information source: Internal study report

Sensitisation

Guinea pig Maximisation Test Result: Animal test did not cause sensitization by skin contact. Method: US EPA Test Guideline OPPTS 870.2600 (Data on the product itself) Information source: Internal study report

Repeated dose toxicity

 Thifensulfuron methyl The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Oral - feed multiple species Reduced body weight gain

Oral - feed Rat Increase in blood urea nitrogen, altered hematology

Mutagenicity assessment

 Thifensulfuron methyl Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Animal testing did not show any mutagenic effects.

Carcinogenicity assessment

• Thifensulfuron methyl Animal testing did not show any carcinogenic effects.

Toxicity to reproduction assessment

• Thifensulfuron methyl No toxicity to reproduction Animal testing showed no reproductive toxicity.

Assessment teratogenicity

 Thifensulfuron methyl Did not show teratogenic effects in animal experiments. Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

STOT - single exposure

9/13

### SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 -Annex II



### PROSPECT SX®

Version 1.0 Revision Date 12.02.2020

Ref. 130000025567

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### STOT - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

The mixture does not have properties associated with aspiration hazard potential.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxicity to fish

static test / LC50 / 96 h / Oncorhynchus mykiss (rainbow trout): > 120 mg/l Method: OECD Test Guideline 203 (Data on the product itself) Information source: Internal study report

Toxicity to aquatic plants

ErC50 / 72 h / Selenastrum capricornutum (green algae): < 1.6 mg/l Method: OECD Test Guideline 201 (Data on the product itself)

EC50 / 7 d / Lemna gibba (duckweed): 0.0014 mg/l Method: OECD Test Guideline 221 (Data on the product itself) Information given is based on tests on the mixture itself. Toxicity to aquatic invertebrates

static test / EC50 / 48 h / Daphnia magna (Water flea): > 120 mg/l Method: OECD Test Guideline 202 (Data on the product itself)

Chronic toxicity to aquatic Invertebrates

 Thifensulfuron methyl EC50 / 21 d / Daphnia magna (Water flea): > 340 mg/l Information source: Internal study report

#### 12.2. Persistence and degradability

Biodegradability

Not readily biodegradable. Estimation based on data obtained on active ingredient.

#### 12.3. Bioaccumulative potential

Bioaccumulation

Does not bioaccumulate. Estimation based on data obtained on active ingredient.

10/13

## SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 -Annex II

# PROSPECT SX®

Version 1.0 Revision Date 12.02.2020

Ref. 130000025567

#### 12.4. Mobility in soil

Mobility in soil

Moderately mobile in soils

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). / This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### 12.6. Other adverse effects

#### Additional ecological information

No other ecological effects to be specially mentioned See product label for additional application instructions relating to environmental precautions.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product : In accordance with local and national regulations. Must be incineration suitable incineration plant holding a permit delivered by the competitive authorities. Do not contaminate ponds, waterways or ditches with used container.
--

#### Contaminated packaging : Do not re-use empty containers.

#### **SECTION 14: Transport information**

ADR	
14.1. UN number:	3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
14.5. Environmental hazards:	Environmentally hazardous
14.6. Special precautions for user:	
Tunnel restriction code:	(E)
IATA_C	
14.1. UN number:	3077
14.2. UN proper shipping name:	Environmentally hazardous substance, solid, n.o.s. (Thifensulfuron-methyl)
14.3. Transport hazard class(es):	9
14.4. Packing group:	
14.5. Environmental hazards :	For further information see Section 12.
14.6. Special precautions for user:	





OSPECT SX®		
ion 1.0 sion Date 12.02.2020		Ref. 130000025567
No special precau	tions required.	
IMDG		
14.1. UN number:		3077
14.2. UN proper shippin	g name:	Environmentally hazardous substance, solid, n.o.s.
14.3. Transport hazard	class(es):	(Thifensulfuron-methyl) 9
14.4. Packing group:		
14.5. Environmental haz	zards :	Marine pollutant
14.6. Special precaution	s for user	
No special precau		
14.7. Transport in bulk a Not applicable	iccording to Annex	I of Marpol and the IBC Code
TION 15: Regulatory inf	ormation	
15.1. Safety, health and	l environmental r	egulations/legislation specific for the substance or mixture
Other regulations	<b>-</b> , ,	uct is classified as dangerous in accordance with Regulation (EC) No.
	safety of Directive dangerou of indicat	Take note of Directive 98/24/EC on the protection of the health and workers from the risks related to chemical agents at work.Take note of 96/82/EC on the control of major-accident hazards involving us substances.Take note of Directive 2000/39/EC establishing a first li ive occupational exposure limit values.This product is in full compliant g to REACH regulation 1907/2006/EC.
15.2. Chemical safety a	ssessment	
A Chemical Safety Asse	ssment is not requ	ired for this/these products
		tion product under Regulation (EC) No. 1107/2009.
Refer to the label for exp		
TION 16: Other informa	tion	
Full text of H-Statemen		der section 3
H319		bus eye irritation.
H400 H410	Very toxic to	aquatic life. aquatic life with long lasting effects.
11410		
Other information	professional	use
Abbreviations and acro	onyms	
ADR	European Ag Road	greement concerning the International Carriage of Dangerous Goods I
	Acute toxicity	
ATE	Chemical Ab	stracts Service number
CAS-No.		
		n, Labelling and Packaging

PROSPECT SX®	
ersion 1.0 evision Date 12.02.2020	Ref. 13000025567
EbC50	Concentration at which 50% reduction of biomass is observed
EC50	Median effective concentration
EN	European Norm
EPA	Environmental Protection Agency
ErC50	Concentration at which a 50% inhibition of growth rate is observed
EyC50	Concentration at which 50 % inhibition of yield is observed
IATA_C	International Air Transport Association (Cargo)
IBC	International Bulk Chemical Code
ICAO	International Civil Aviation Organization
ISO	International Standard Organization
IMDG	International Maritime Dangerous Goods
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest observed effect level
MARPOL	International Convention for the Prevention of Marine Pollution from Ships
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No observed adverse effect level
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
OPPTS	Office of Prevention, Pesticides and Toxic Substances
PBT	Persistent, Bioaccumulative and Toxic
STEL	
	Short term exposure limit
TWA	Time Weighted Average (TWA):
vPvB	very Persistent and very Bioaccumulative
Further information	
Significant change from p	previous version is denoted with a double bar.
5 5 1	
The information provided	I in this Safety Data Sheet is correct to the best of our knowledge, information and belief a
	The information given is designed only as a guide for safe handling, use, processing,
	lisposal and release and is not to be considered a warranty or quality specification. The
	s only to the specific material(s) designated herein and may not be valid for such material
specified in the text.	any other materials or in any process or if the material is altered or processed, unless